



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/826,458	04/05/2001	X.-C. Zhang	RPI-103US38	6513
7590	04/05/2004		EXAMINER	
Kevin R. Casey Ratner & Prestia Suite 301 P.O. Box 980 Valley Forge, PA 19482-0980			LEE, SHUN K	
			ART UNIT	PAPER NUMBER
			2878	
DATE MAILED: 04/05/2004				

Please find below and/or attached an Office communication concerning this application or proceeding.

ms

Office Action Summary	Application No.	Applicant(s)	
	09/826,458	ZHANG ET AL.	
	Examiner	Art Unit	
	Shun Lee	2878	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05 January 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 2-16 and 18-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 2-16 and 18-26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 7/11/01 & 6/30/03 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. Claims 3-7, 18, 23, and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Eloy (US 6,275,045) in view of Wu *et al.* (Applied Physics Letters 67:3523-3525, 1995) and Bromage *et al.* (US 6,239,866).

The specification discloses (e.g., pg. 7, line 15 and 22 in Fig. 1) a “mechanical chopper”. It should be noted that claims must be given their broadest reasonable interpretation consistent with the specification and that a chopper is defined¹ as a

¹ The American Heritage® Dictionary of the English Language, Third Edition copyright © 1992 by Houghton Mifflin Company. Electronic version licensed from INSO Corporation; further reproduction and distribution restricted in accordance with the Copyright Law of the United States. All rights reserved.

“device that interrupts an electric current or a beam of radiation”. Thus the broadest reasonable interpretation (consistent with the specification) of “a chopper” as recited in independent claims 4 and 18 is a device that interrupts a radiation beam such as a “mechanical chopper” or a non-mechanical chopper. It is important to recognize that there is no limitation as to the form of the chopper (e.g., an attenuator is a chopper since it is a device that interrupts a radiation beam).

In regard to claim 4, Eloy discloses (column 4, lines 42-51) a system for emitting and detecting one or more terahertz frequency electromagnetic pulses (column 1, lines 45-48), the system comprising a single transceiver device (301 in Fig. 8; column 6, lines 44-53) for both emitting and detecting the pulses. Eloy also discloses (column 1, lines 45-63; column 4, lines 42-51) an optical source (304 in Fig. 8 or 104 in Fig. 2) and related optics (27 in Fig. 2) for providing: (a) a plurality of pump pulses to excite the transceiver (301 in Fig. 8) to emit a corresponding plurality of terahertz output pulses, and (b) a plurality of probe pulses timed to illuminate the transceiver (301 in Fig. 8) simultaneously with a corresponding plurality of reflected terahertz pulses; and an object (*i.e.*, medium being studied; column 2, lines 53 and 54) which is illuminated by the terahertz output pulses and reflects the plurality of reflected terahertz pulses; an amplifier (21 in Fig. 8) for receiving a plurality of electrical signals, each signal carrying information proportional to a corresponding reflected terahertz pulse as detected by the transceiver (301 in Fig. 8).

The system of Eloy lacks that the amplifier is a lock-in amplifier having a reference input connected to a clock output of a chopper which modulates the terahertz

output pulses at a first frequency, and the lock-in amplifier is auto-locked to the first frequency so as to reduce noise in the plurality of electrical signals. However, amplifiers such as lock-in amplifiers are well known in the art for reducing noise in a plurality of electrical signals (see for example, first paragraph in pg. 3524 left column of Wu *et al.*). Further, Bromage *et al.* teach (column 1, line 66 to column 2, line 45) to modulated THz output pulses with a chopper (*i.e.*, attenuator 12 in Fig. 1) at a frequency Ω which is measured with a lock-in amplifier at frequency Ω in order to provide an improved measurement of THz pulses. Therefore it would have been obvious to one having ordinary skill in the art at the time of the invention to provide a known lock-in amplifier as the amplifier in the system of Eloy for reducing noise in the plurality of electrical signals and to modulate the THz output pulses with a chopper (*e.g.*, an attenuator) in the system of Eloy, in order to obtain an improved measurement of THz pulses as taught by Bromage *et al.*

In regard to claim 3 which is dependent on claim 4, Eloy also discloses (Fig. 8) that the single transceiver device (301) comprises a photoconductive antenna (column 1, lines 49-64).

In regard to claim 5 which is dependent on claim 4, Eloy also discloses (column 6, lines 4-10) one or more parabolic mirrors between the transceiver and the object.

In regard to claim 6 which is dependent on claim 4, Eloy also discloses (Fig. 8) that the transceiver (301) is a photoconductive antenna (column 1, lines 49-64) that produces the electrical signals received by the amplifier (21), each electrical signal

produced when a probe pulse and a reflected terahertz pulse simultaneously illuminate (column 4, lines 1-22) the antenna (303).

In regard to claim **7** which is dependent on claim 6, Eloy also discloses (Fig. 1) a data processor (20) for processing the output signal from the amplifier (21).

In regard to claim **18**, the method steps are implicit for the modified apparatus of Eloy since the structure is the same as the applicant's apparatus of claim 4 above.

In regard to claims **23** and **24** which are dependent on claim 18, Eloy is applied as in claims 3 and 7 above.

4. Claims 2, 10, 11, 19, and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Eloy (US 6,275,045) in view of Wu *et al.* (Applied Physics Letters 67:3523-3525, 1995) and Bromage *et al.* (US 6,239,866) as applied to claims 4 and 18 above, and further in view of Cai *et al.* (Applied Physics Letters 73:444-446, 1998).

In regard to claim **2** which is dependent on claim 4, the system of Eloy lacks that that the single transceiver device comprises an electro-optic crystal wherein a reflected modulated probe pulse is detected by a photodetector. Cai *et al.* teach (first paragraph, left column on pg. 444; Figs. 2 and 3) it is known in the art that the substitution of an electro-optic crystal for a photoconductive antenna provides the advantage of a higher detection bandwidth. Therefore it would have been obvious to one having ordinary skill in the art to substitute a known electro-optic crystal for the photoconductive antenna in the system of Eloy, in order to extend the bandwidth for both generation and detection of THz radiation.

In regard to claim **10** which is dependent on claim 4, Cai *et al.* is applied as in claim 2 above.

In regard to claim **11** which is dependent on claim 10, Eloy is applied as in claim 7 above.

In regard to claims **19** and **20** which are dependent on claim 18, Cai *et al.* is applied as in claim 2 above and Eloy is applied as in claim 7 above.

5. Claims 8, 9, 25, and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Eloy (US 6,275,045) in view of Wu *et al.* (Applied Physics Letters 67:3523-3525, 1995) and Bromage *et al.* (US 6,239,866) as applied to claims 7 and 24 above, and further in view of Mittleman *et al.* (US 6,078,047).

In regard to claims **8** and **9** (which are dependent on claim 7) and claims **25** and **26** (which are dependent on claim 24), the modified system and method of Eloy lacks that the data processor is adapted to produce an image based upon a peak amplitude of each of the reflected pulses or a tomographic image based upon a difference in time between the reflected pulses from different layers of the object. Mittleman *et al.* teach (column 1, lines 16-56) that it is known in the art to use terahertz electromagnetic waves for imaging with transmitted or reflected power (*i.e.*, peak amplitude of each of the reflected pulses) and further teach that a difference in time between the reflected pulses can also be used to provide a depth resolved compositional image. Therefore it would have been obvious to one having ordinary skill in the art at the time of the invention to use the modified system and method of Eloy to obtain images from either the peak

amplitude of each of the reflected pulses or the difference in time between the reflected pulses from different layers of an object.

6. Claims 12, 13, 21, and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Eloy (US 6,275,045) in view of Wu *et al.* (Applied Physics Letters 67:3523-3525, 1995), Bromage *et al.* (US 6,239,866), and Cai *et al.* (Applied Physics Letters 73:444-446, 1998) as applied to claims 11 and 20 above, and further in view of Mittleman *et al.* (US 6,078,047).

In regard to claims **12** and **13** (which are dependent on claim 11) and claims **21** and **22** (which are dependent on claim 20), Mittleman *et al.* is applied as in claims 8, 9, 25, and 26 above.

7. Claims 14-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Eloy (US 6,275,045) in view of Wu *et al.* (Applied Physics Letters 67:3523-3525, 1995), Bromage *et al.* (US 6,239,866), and Cai *et al.* (Applied Physics Letters 73:444-446, 1998) as applied to claim 2 above, and further in view of Onstott *et al.* (US 4,896,942) and Nahata *et al.* (Applied Physics Letters 69:2321-2323, 1996).

In regard to claims **14-16** which are dependent on claim 2, while Eloy also discloses (column 3, lines 59-64) that optical fibers can be used for guiding the optical pulses, the modified system of Eloy lacks that the electro-optic crystal has a volume of less than about 1 mm³ and is mounted to the end of a polarization-preserved optical fiber. However, optical fibers such as polarization-preserved optical fibers are well known in the art. For example, Onstott *et al.* teach (column 1, lines 13-21) it is known in the art that polarization-preserved optical fibers have a 3-10 μm diameter core and a 80-

Art Unit: 2878

125 μm diameter jacket. Further, Nahata *et al.* teach (last paragraph in left column on pg. 2322) that pump beam should be polarized at an angle relative to a crystallographic axis of the electro-optic crystal in order to maximize the non-linear response. Cai *et al.* teach (second paragraph in right column on pg. 445) that the thickness of an electro-optic crystal should be selected based on the desired trade-off between sensitivity and frequency response (e.g., 2.2 mm thick ZnTe electro-optic crystal). Therefore it would have been obvious to one having ordinary skill in the art at the time of the invention to mount an electro-optic crystal on a conventional polarization-preserved optical fiber in the modified system of Eloy, in order to deliver optical pulses with a desired polarization angle relative to the crystallographic axis of the electro-optic crystal so as to maximize the non-linear response and wherein the electro-optic crystal dimensions (*i.e.*, volume of less than about 1 mm^3) are matched to the optical fiber diameter (e.g., $\sim 125 \mu\text{m}$) with the electro-optic crystal thickness (e.g., $\sim 2.2 \text{ mm}$) selected to obtain a desired sensitivity and frequency response.

Response to Arguments

8. Applicant's arguments filed 5 January 2004 have been fully considered but they are not persuasive.

In response to applicant's argument (last two paragraphs on pg 2 to first three paragraphs on pg 4 of remarks filed 5 January 2004) that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so

found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, there is some teaching, suggestion, or motivation to do so found in the references themselves. Amplifiers such as lock-in amplifiers (*i.e.*, an amplifier auto-locked by a reference input connected to a clock output of a chopper which modulates pulses at a first frequency) are well known in the art for reducing noise in a plurality of electrical signals (see for example, first paragraph in pg. 3524 left column of Wu *et al.*). Further, Bromage *et al.* teach (column 1, line 66 to column 2, line 45) to modulated THz output pulses with a chopper (*i.e.*, attenuator 12 in Fig. 1) at a frequency Ω which is measured with a lock-in amplifier at frequency Ω in order to provide an improved measurement of THz pulses. Therefore it would have been obvious to one having ordinary skill in the art at the time of the invention to provide a known lock-in amplifier as the amplifier in the system of Eloy for reducing noise in the plurality of electrical signals and to modulate the THz output pulses with a chopper (*e.g.*, an attenuator) in the system of Eloy, in order to obtain an improved measurement of THz pulses as taught by Bromage *et al.*

In response to applicant's argument (first two paragraphs on pg 5 of remarks filed 5 January 2004) that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (*i.e.*, (a) reflective chopper blade and (b) chopper position) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir.

Art Unit: 2878

1993). Independent claim 4 recites the limitation of "a chopper for modulating the terahertz output pulses at a first frequency and having a clock output" and independent claim 18 recites the limitation of "modulating the terahertz frequency output pulse with a chopper". Thus the scope of the claims encompass any chopper (e.g., an attenuator) at any position.


Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shun Lee whose telephone number is (571) 272-2439. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Porta can be reached on (571) 272-2444. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SL


CONSTANTINE HANNAHER
PRIMARY EXAMINER
GROUP ART UNIT 2878